

# Vaccinations for Dogs, Cats and Rabbits

---

## **Companion C3 (Standard: once a year)**

### Protects against:

Parvovirus, distemper, hepatitis

### Vaccination Schedule:

Puppies from 6-12 weeks (2 doses at 1 monthly interval). Adult dogs (as for pups if never vaccinated before, yearly if up to date).

### Advantages:

- Protects your pet from serious illnesses that cause untold suffering and in many cases death
- Prevention is better than cure – it's cheaper to vaccinate than to treat the illnesses if your pet becomes very ill and has to be hospitalised
- Can't start puppy preschool without it

### Disadvantages:

- There is a small possibility of a pet having a reaction to the vaccine but the risk is very small and the advantages of protecting your pet far outweigh this risk
- Lethargy, loss of appetite, high temperature, skin lesion at vaccination site
- Shouldn't be used on unwell animals

## **Nobivac DHP (Three yearly and early finish)**

### Protects against:

Parvovirus, distemper, hepatitis

### Vaccination Schedule:

Puppies from 8-12 weeks (2 doses at 1 monthly interval). Adult dogs (as for pups if never vaccinated before, yearly if up to date).

## **Nobivac K/C**

### Protects against:

Kennel cough (Bordetella and parainfluenza)

### Vaccination Schedule:

Pups from 4 weeks (yearly) – Intra - Nasal

## **Nobivac Tricat**

### Protects against:

Panleucopaenia, herpes and calicivirus

### Vaccination Schedule:

Kittens from 6 weeks (2 doses at 1 monthly interval). Adult cats (as for kittens if never vaccinated before, yearly if up to date with Ducat).

## **Fel-O-Vax FIV**

### Protects against:

Feline immunodeficiency virus

- Protection against feline Immunodeficiency Virus which if contracted will cause a suppressed immune system and make the cat very vulnerable to illness resulting in costly medical bills and they will have to be kept inside.

### Vaccination Schedule:

Initial course (3 doses at 2-4 weekly intervals). Then yearly.

- If any of the primary course injections are overdue:
  - if any intervals were 6-10 weeks apart – they will need an additional one
  - If any of the intervals were more than 10 weeks apart then start course again
- If the yearly booster is overdue by:
  - 3-6 months: they need 2 injections 2 – 4 weeks apart
  - More than 6 months then start again

## **Protech C2i**

### Protects against:

Coronavirus and leptospira

### Vaccination Schedule:

Puppies from 6 weeks and adult dogs (2 doses at 1 monthly interval and then yearly).

## **Cylap**

### Protects against:

Rabbit viral haemorrhagic disease (offers at least some protection against the attest train of the virus)

### Vaccination Schedule:

Rabbits 10 weeks of age and over – one vaccination, then yearly or 6 monthly depending on risk (outdoor enclosure or free range in back yard as opposed to indoor wit lower risk of contact with carriers but it's also air-borne and spread by touch and on clothing etc

